

Pulinet

Liquido / Polvere

**ACID CLEANING DETERGENT
FOR CERAMIC TILES**



TECHNICAL DATA SHEET

DESCRIPTION

Buffered acid detergent for removing cement residue, lime, cement adhesive and grout residue, salt efflorescence and limescale.

FIELDS OF APPLICATION

For cleaning cement or lime deposits, cement adhesive and grout residue from ceramic tile, porcelain stoneware, glass mosaic and Tuscan terracotta floors and walls. Also suitable for removing saline efflorescence and limescale from bricks and blocks.

PACKAGING

19 kg, 4 kg and 1 kg.

SURFACE RESTRICTIONS

Do not use on marble, limestone or surfaces with a polished finish.

Application and specifications

APPLICATION

Clean floors and walls using a descaling detergent with acid action, such as PULINET LIQUIDO or PULINET POLVERE by COLMEF S.r.l. Apply neat or in solution, as stated in the source sheet, until the dirt is completely removed.

RINSING

The stated waiting time before rinsing is **5 minutes**. Wash carefully with clean water to remove the acid completely.

APPLICATION CONDITIONS

Application temperature	+3 °C to +40 °C
Waiting time before rinsing	5 minutes

LIMITATIONS

Do not clean floors or wall coverings made of marble or limestone, or those with a polished finish.

Technical data

LIQUID AND POWDER

Property	Liquid / Liquido	Powder / Polvere
Appearance	Liquid	Powder
Colour	Greenish yellow	White
Specific weight	1.05 g/cm ³	1.22 g/cm ³
pH value	3	2
Active substance	15%	100%
Application temperature	+3 °C to +40 °C	+3 °C to +40 °C
Flammability	No	No
Waiting time to rinse	5 minutes	5 minutes

Tests performed at 23 °C and 50% relative humidity, in the absence of air ventilation.